



Certified by the German TÜV – SÜD Product Service Institute according to the European Standard in force EN 1176.

Structure made of one upper tubular beam in coloured galvanized steel Ø 89 mm connected through appropriate sheet metal joints 30/10 to 4 posts in aluminium alloy EN AW 6060 section 90x90 mm; No. 2 stratified bilaminated HPL decorative panels are applied at both ends of the beam. The oscillation mechanism is allowed through robust stainless-steel joints equipped with premium roller bearings. No.1 bird nest seat dim. Ø 100 cm composed of colored synthetic woven ropes and reinforced with stainless steel core, available with hot dipped galvanized small mesh chains, connected to the beam through a double fixings. Assembly system with 8.8 galvanized steel bolts and self-locking nuts. Colored nylon cap nuts as required by law. Polyethylene post caps. Polyester powder coating at 180°C. with very high resistance to atmospheric agents and UV rays. Hot-dip galvanized steel brackets for ground anchoring system.

 cm 185x265x240h
INGOMBRO MAX

 147
ALTEZZA CADUTA

 **ARTICOLO INCLUSIVO**

 3-12
ETÀ D'USO

 2 h
TEMPO DI ASSEMBLAGGIO

 **CERTIFICATO EN 1176**

 3
NUMERO UTILIZZATORI

 cm 750x565h
SPAZIO MINIMO

 m² 15,00
AREA IMPATTO

Planimetria / Planimetry

