



Certified by the German TÜV – SÜD Product Service Institute according to the European Standard in force EN 1176.

Structure made of one upper tubular beam in coloured galvanized steel Ø 89 mm connected through appropriate sheet metal joints 30/10 to 4 posts in aluminium alloy EN AW 6060 section 90x90 mm; No. 2 stratified bilaminated HPL decorative panels are applied at both ends of the beam. The oscillation mechanism is allowed through robust stainless-steel joints equipped with premium roller bearings. No.1 bird nest seat dim. Ø 100 cm composed of colored synthetic woven ropes and reinforced with stainless steel core, available with hot dipped galvanized small mesh chains, connected to the beam through a double fixings. Assembly system with 8.8 galvanized steel bolts and self-locking nuts. Colored nylon cap nuts as required by law. Polyethylene post caps. Polyester powder coating at 180°C. with very high resistance to atmospheric agents and UV rays. Hot-dip galvanized steel brackets for ground anchoring system.



cm 185x265x240h  
**INGOMBRO MAX**



cm 147  
**ALTEZZA CADUTA**



**ARTICOLO INCLUSIVO**



3-12 years  
**ETÀ D'USO**



2 h  
**TEMPO DI ASSEMBLAGGIO**



**CERTIFICATO EN 1176**



3  
**NUMERO UTILIZZATORI**



cm 750x565h  
**SPAZIO MINIMO**



m² 15,00  
**AREA IMPATTO**

#### Planimetria / Planimetry

