





Playground for park Simba Village.

Certified by the German TÜV - SÜD Product Service Institute according to the European Standard in force EN 1176.

Structure made of posts in aluminium alloy EN AW 6060 and high pressure laminate protection panels (HPL) pantographed without sharp edges. Components: No.2 towers with aluminium posts section 7x7 cm, platform (falling height 98 cm) in aluminium chequer plate, HPL protection panels 8 mm thick. Dim. 80x80x170ht. cm; No.1 access stair with HPL side panels 15 mm and stair treads in aluminium chequer plate; two high pressure laminate protection side panels (HPL) 15 mm thick, as handrails; No.1 arch-bridge with side supports in HPL 15 mm thick and high pressure laminate protection panels (HPL) 8 mm thick; No.1 slide 98 cm height in rotomolded coloured high-density polyethylene connected to the structure through HPL panels 15 mm thick. Assembly system with 8.8 galvanized steel bolts and self- locking nuts. Coloured nylon cap nuts as required by law. Baked finishing at 180°C. Polyethylene post caps. Hot-dip galvanized steel brackets for ground anchoring system.



cm 335x245x170h INGOMBRO MAX




cm 108
ALTEZZA CADUTA

TEMPO DI ASSEMBLAGGIO











## Planimetria / Planimetry

