


Certified by the German TÜV – SÜD Product Service Institute according to the European Standard in force EN 1176. Structure made of painted electro galvanized steel, baked finishing at 180°C. Triangular chassis in tubular electro-galvanized steel section Ø 40 mm and a shaped sheet-metal in electro-galvanized steel 4 mm thick, equipped with decorative coloured panels in polyethylene PEHD 1 cm thick, pantographed without sharp edges. Each end of the seesaw springer has a handhold/footrest device in tubular electro galvanized steel section Ø 30 mm and coloured polyethylene seat (PEHD) 15 mm thick, pantographed without sharp edges. The structure is clamped on 3 painted steel springs, certified with anti-pinch system. Assembly system with 8.8 galvanized steel bolts and self-locking nuts. Coloured nylon cap nuts as required by law. Hot-dip galvanized steel brackets for ground anchoring system.

 cm 189x167x67h  
**INGOMBRO MAX**

 48  
**ALTEZZA CADUTA**



**CERTIFICATO EN 1176**

 2-8  
**ETÀ D'USO**

 1,5 h  
**TEMPO DI ASSEMBLAGGIO**

 3  
**NUMERO UTILIZZATORI**

 cm 425x400  
**SPAZIO MINIMO**

 m<sup>2</sup> 17  
**AREA IMPATTO**

## Planimetria / Planimetry

